

JC

The quality option

Strainers and Screens

RANGE OF PRODUCTION

STRAINERS:

"Y" - type permanent strainers-forged/cast
Class 150 # up to 24", large size upon request
Class 300 # up to 24", large size upon request
Class 600 # up to 24", large size upon request
Class 900 # up to 16", large size upon request
Class 1500 # up to 12", large size upon request
Class 2500-4500 # up to 8", large size upon request

Strainers are designed bolted bonnet as standard, but, upon request, pressure seal design is available for Class 600 # and over.

BASKET STRAINERS:

Simplex or duplex type up to 96" body & 72" connections, size & class as per customer's request.

TEMPORARY CONE STRAINERS:

Up to class 2500 # from 2" up to 72"
Large size upon request.

TEE - TYPE STRAINERS:

Class 150 # - 2" to 24", large size upon request
Class 300 # - 2" to 24", large size upon request
Class 600 # - 2" to 24", large size upon request
Class 900 # - 2" to 24", large size upon request
Class 1500 # 2" to 24", large size upon request
Class 2500 # 2" to 24", large size upon request

PRODUCTION MATERIALS


Carbon Steel
Low Carbon Steel
Alloy Steel
Stainless

Engineering for special construction & applications.
Sizes & materials upon customer's request
Jacketed Strainers
Over Pressure connections
Sampling
Others



Applications



- Process Industry
- Power Industry
- Oil and Gas Industry
- Mining Industry
- Pharmaceutical Industry
- Chemical Industry
- Pulp and Paper Industries and
- Water and Waste Management



Basket Strainers






Cast "Y" Strainers



stainless steel "Y" trainers



Special Construction




Double Basket Strainers



Basket Strainers



Steam Centrifugal Separators




Quick Opening with "Davit System"



"Quick Opening"

SCREENS FOR STANDARD AND SPECIAL STRAINERS



JC Fábrica de válvulas, S.A.

C/Cantabria, 2 Polígono Industrial Les Salines
08830 Sant Boi de Llobregat

Barcelona (Sapin)
Phone: + 34 93 654 86 86
Fax: + 34 93 654 86 87

e.mail: sales@jc-valves.com
www.jc-valves.com

