

Bettis CBB/CBA300-Series Pneumatic Valve Actuator

Component Material List



BETTIS™

Approved Emerson-Bettis distributor, service facility and stockist.
www.globalsupplyline.com.au sales@globalsupplyline.com.au
Full stock list [click here](#)



Table of Contents

Section 1: Major Component Material List

- 1.1 Typical CBB-Series Major Component Material List 4
- 1.2 Typical CBA300-Series Major Component Material List 6

Section 2: Seal Material List

- 2.1 Typical CBB/CBA300-Series Seal Material List..... 8

Section 3: Typical Coatings

- 3.1 Nitriding 9
- 3.2 Teflon lined cylinder bores..... 9

Section 1: Major Component Material List

1.1 Typical CBB-Series Major Component Material List




Table 1. Material List

| Item | Description | Material | |
|------|-----------------------|--------------------------|-----------|
| | Housing | | |
| 1 | Housing | Cast Ductile Iron | ASTM A395 |
| 2 | Yoke, CBBx15 & CBBx20 | Cast steel | ASTM A732 |
| | Yoke, CBBx25 | Cast Ductile Iron | ASTM A536 |
| 3 | Torque shaft | Alloy steel | ASTM A311 |
| 4 | Yoke key | Steel | ASTM A108 |
| 5 | Travel stop screw | Alloy steel, Zinc plated | ASTM A193 |
| | Travel stop screw nut | Alloy steel, Zinc plated | ASTM A194 |
| 6 | Yoke/Yoke pin bearing | UHMWPE plastic | |
| 7 | Centerbar | Alloy steel, Nitrided | ASTM A193 |
| 8 | Centerbar nut | Alloy steel, Zinc plated | ASTM A194 |

| Pneumatic Power Cylinder | | | |
|---------------------------------|-----------------------|--------------------------|------------------|
| 9 | Cylinder | Steel, TFE lined | ASTM A513 |
| 10 | Cylinder adapter | Cast Ductile Iron | ASTM A395 |
| 11 | Outer endcap, DA | Steel | ASTM A516 |
| 12 | Travel stop screw | Alloy steel, Zinc plated | ASTM A193 |
| | Travel stop screw nut | Alloy steel, Zinc plated | ASTM A194 |
| 13 | Piston, standard | Cast Ductile Iron | ASTM A536 |
| 14 | Yoke pin | Steel, TFE coated | ASTM A108 |
| 15 | Piston heel bearing | Steel/Bronze/TFE | Garlock DU Style |
| Spring Cartridge | | | |
| 16 | Outer endcap, SR | Cast Ductile Iron | ASTM A536 |
| 17 | Spring | Alloy steel | ASTM A229 |

1.2 Typical CBA300-Series Major Component Material List

Figure 2 CBA300-Series Major Components




Table 2. Material List

| Item | Description | Material | |
|----------------|-----------------------|--------------------------|--------------|
| Housing | | | |
| 1.A | Housing | Cast Ductile Iron | ASTM A395 |
| 1.B | Housing adapter | Cast Ductile Iron | ASTM A395 |
| 2 | Yoke, | Cast Ductile Iron | ASTM A536 |
| 3 | Torque shaft | Alloy steel, Nitrided | AISI 4140 HT |
| 4 | Yoke key | Steel | ASTM A108 |
| 5 | Travel stop screw | Alloy steel, Zinc plated | ASTM A193 |
| | Travel stop screw nut | Alloy steel, Zinc plated | ASTM A563 |
| 6 | Yoke/Yoke pin bearing | UHMWPE plastic | |
| 7 | Centerbar | Alloy steel, Nitrided | ASTM A193 |
| 8 | Centerbar nut | Alloy steel, Zinc plated | ASTM A194 |

| Pneumatic Power Cylinder | | | |
|---------------------------------|-----------------------|--------------------------|------------------|
| 9 | Cylinder | Steel, TFE lined | ASTM A513 |
| 10 | Cylinder adapter | Steel | ASTM A516 |
| 11 | Outer endcap, DA | Steel | ASTM A516 |
| 12 | Travel stop screw | Alloy steel, Zinc plated | ASTM A193 |
| 12 | Travel stop screw nut | Alloy steel, Zinc plated | ASTM A563 |
| 13 | Piston | Cast Ductile Iron | ASTM A536 |
| 14 | Yoke pin | Alloy steel | AISI 4140 HT |
| 15 | Piston heel bearing | Steel/Bronze/TFE | Garlock DU Style |
| | Yoke pin bearing | Steel/Bronze/TFE | Garlock DU Style |
| | Rod bushing | Acetal plastic | |
| | Piston bearing | TFE | |
| Spring Cartridge | | | |
| 16 | Outer endcap, SR | Cast Ductile Iron | ASTM A536 |
| 17 | Spring | Alloy steel | ASTM A689 |

Section 2: Seal Material List

2.1 Typical CBB/CBA300-Series Seal Material List

| Description | Type | Application |
|-------------------------|-----------------|-------------|
| Piston OD / Cylinder ID | O-ring / D-ring | Dynamic |
| Piston / Centerbar | O-ring / T-seal | Dynamic |
| Torque shaft | O-ring | Rotary |
| All remaining seals | O-ring | Static |

Section 3: Typical Coatings

3.1 Nitriding

Bettis utilizes a Nitride surface finish on many component parts instead of Chrome or Nickel plating.

The nitrided surface is not a coating, it is an integral part of the component base material. Because of this, it will not pitting, crack, chip or flake off and any possibility of hydrogen embrittlement (a common problem in any plating process) is eliminated.

The Nitride surface layer is extremely hard and displays improved wear resistance when compared with plated coatings. Dent resistance is also improved.

The Nitride surface layer has also been shown to display superior corrosion resistance to plated coatings.

Nitride surface finishing has become very popular in the fluid power industry in the past decade replacing chrome and nickel plating in many applications.

Typical components - piston rods, tiebars, CBB centerbars, cylinder bores, pistons.

Typical process results in a thin surface layer of iron oxide over a second layer of porous Iron Nitride over a third layer of non-porous Iron Nitride all fused on top of the base substrate steel material.

3.2 Teflon lined cylinder bores

The standard coating on all Bettis pneumatic cylinder bores is Xylan, a proprietary Teflon coating.

The use of this Teflon lining results in superior corrosion resistance while improving seal life and overall actuator performance.



www.globalsupplyline.com.au

Global Supply Line approved Emerson-Bettis distributor, service facility and major Australian stockist of Emerson Bettis Scotch Yoke Pneumatic Spring Return Actuators up to 25,000NM. We can supply complete actuated ESDV (Emergency Shut Down Valve) floating and trunnion ball valves as well as high performance double offset and triple offset butterfly valves in metal seat and soft seat. The Australian Valve Centre is fully approved by all the manufacturers we represent to supply and fit the actuator and controls. We do full in-house testing and all engineering support. View our full stock list of valves and actuators at our website. We also supply and stock Emerson Biffi, and are fully approved by Emerson to supply and automate. Contact us at sales@globalsupplyline.com.au

World Area Configuration Centers (WACC) offer sales support, service, inventory and commissioning to our global customers. Choose the WACC or sales office nearest you:

NORTH & SOUTH AMERICA

19200 Northwest Freeway
Houston TX 77065
USA
T +1 281 477 4100

Av. Hollingsworth
325 Iporanga Sorocaba
SP 18087-105
Brazil
T +55 15 3413 8888

ASIA PACIFIC

No. 9 Gul Road
#01-02 Singapore 629361
T +65 6777 8211

No. 1 Lai Yuan Road
Wuqing Development Area
Tianjin 301700
P. R. China
T +86 22 8212 3300

MIDDLE EAST & AFRICA

P. O. Box 17033
Jebel Ali Free Zone
Dubai
T +971 4 811 8100

P. O. Box 10305
Jubail 31961
Saudi Arabia
T +966 3 340 8650

24 Angus Crescent
Longmeadow Business Estate East
P.O. Box 6908 Greenstone
1616 Modderfontein Extension 5
South Africa
T +27 11 451 3700

EUROPE

Holland Fasor 6
Székesfehérvár 8000
Hungary
T +36 22 53 09 50

Strada Biffi 165
29017 Fiorenzuola d'Arda (PC)
Italy
T +39 0523 944 411

For complete list of sales and manufacturing sites, please visit www.emerson.com/actuationtechnologieslocations or contact us at info.actuationtechnologies@emerson.com

www.emerson.com/bettis

©2018 Emerson. All rights reserved.

The Emerson logo is a trademark and service mark of Emerson Electric Co. Bettis™ is a mark of one of the Emerson family of companies. All other marks are property of their respective owners.

The contents of this publication are presented for information purposes only, and while every effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, express or implied, regarding the products or services described herein or their use or applicability. All sales are governed by our terms and conditions, which are available on request. We reserve the right to modify or improve the designs or specifications of our products at any time without notice.

